2 Axle Stepframe Low Loaders



2 Axle Stepframe Low Loader

KEY FEATURES





Overall length	13,600mm
Bed Length	8160mm
Beaver	800mm
Overall width	2540mm
Gross Design Weight	31,000Kg (31 Tons)
Unladen Weight	8000kg (8 Tons)
Design Weight	31,000Kg

2 Axle Stepframe Low Loaders



2 Axle Stepframe Low Loader

KEY FEATURES





2no 105km 10Ton 310 x 190 axles

Air Suspension complete with Load Sensing Valve & Raise Lower Valve

EBS & Air Line Braking

No Lift Axle Standard

300mm galvanised tractor-bar headboard

2no manual slide ramps L: 2440mm x W: 760mm

Pair of JOST Landing Legs

D- Rings & Rope Hooks

8no premium branded 235/75 x 17.5 tyres

1no stainless steel toolbox

Rear Bulb Cluster Lights & LED Side Lights

28mm Hardwood on neck & bed

Optional Extras



Recessed D-Rings in Platform



3.5T Lashing Eye (Platform)



Laxo Sockets



Twist Locks



Galvanised Posts With Handles



Machine Stoppers



Machine Locker Bars



D-Rings on Chime



Outrigger Boards



Stepframe Container Leveller



8.1T Winch



Hardwood Cross Bearers



23T Alloy Ramps



Eco Mesh Ramps



Access Equipment Ramps



1m Wide Fliptoe Ramps

Optional Extras



5Ton Weight Bearing Headboard



Solid 600mm Static Headboard



Plastic Toolbox



Large Steel Toolbox



Stainless Steel Toolbox



Demountable Galvanised Timber Trav



Galvanised Post Carrier



Pull Out Access Ladder



Spare Wheel Carrier Underneath




Spare Wheel on Tractor Headboard



Combine Wells with Covers



Rear Steer Axle



Spanset Winch



Wheel Chocks



Dropped Bed



Crib Sides Painted

Optional Extras



Aluminium Demountable Crib Sides



Galvanised Crash Rail



Suzi Box on Headboard



Raise / Lower Valve



LED Hamburger Lights



Beacon Fitted



Flashing Strobe Light



Wisem Working Spot Lights